$.062 \pm .030$ XXX Ø.206 ± .010 $.030 \pm .004$ $.219 \pm .010$ **STANDARD** $.594 \pm .030$ $.250x.310 \pm .060$ $\emptyset.206 \pm .010$ $.500 \pm .010$ $(\emptyset.500)$ CLAMPS SUPPLIED IN OPEN POSITION. SLOTTED ALL DIMENSIONS ARE WITH A DUMMY COMPONT IN PLACE AND CLAMP CLOSED. **NOTES** 1. PASSIVATE PER AMS2700 METHOD 1 TYPE 2 CLASS 1 NAME DATE 2. DIMENSIONS APPLY PRIOR TO PLATING. DIMENSIONS ARE IN INCHES SEASTROM MFG TOLERANCES: DRAWN FRACTIONAL±1/32 CHECKED ANGULAR: MACH±1/2 Deg ENG APPR. TWO PLACE DECIMAL ±.01 LOOP CLAMP THREE PLACE DECIMAL ±.005 PROPRIETARY AND CONFIDENTIAL MFG APPR. THE INFORMATION CONTAINED IN THIS Q.A.

300 SERIES STAINLESS

DRAWING IS NOT TO SCALE

SEE NOTE 1

COMMENTS:

SIZE DWG. NO.

5317-51-3-P

REV.

SHEET 1 OF 1

DRAWING IS THE SOLE PROPERTY OF

SEASTROM MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF

SEASTROM MANUFACTURING IS

PROHIBITED.

REFERENCE SEASTROM WORKMANSHIP STD. 8.4.1.W2